

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10222	register adj file	US-PGPUB; USPAT	OR	ON	2005/12/11 12:13
S2	13806	(general adj purpose adj register) or gpr	US-PGPUB; USPAT	OR	ON	2005/11/17 14:25
S3	49	banked adj register	US-PGPUB; USPAT	OR	ON	2005/11/17 13:33
S4	2	interrupt near5 S3	US-PGPUB; USPAT	OR	ON	2005/11/17 12:42
S5	2	(avoid\$4 or without or absent) near7 (banked adj register)	US-PGPUB; USPAT	OR	ON	2005/11/17 13:33
S6	1046	encoded adj address	US-PGPUB; USPAT	OR	ON	2005/11/17 13:57
S7	0	(banked adj register) and S6	US-PGPUB; USPAT	OR	ON	2005/11/17 13:34
S8	1094	encoded adj address\$4	US-PGPUB; USPAT	OR	ON	2005/11/17 14:43
S9	32	(register adj file) and S8	US-PGPUB; USPAT	OR	ON	2005/11/17 13:44
S10	1	(register adj file) with S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/17 13:44
S11	147	(encoded adj address\$3) and "711"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/17 13:58
S12	108	(encoded adj address\$3) and register and "711"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/17 13:58
S13	2984	(encoded adj address\$3) and register (memory near2 mode) and "711"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/17 13:59
S14	20	(encoded adj address\$3) and register and (memory near2 mode) and "711"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/17 14:16
S15	3	(encoded adj address\$3) same (register adj file)	US-PGPUB; USPAT	OR	ON	2005/11/17 14:25
S16	5640	(special adj purpose adj register) or spr	US-PGPUB; USPAT	OR	ON	2005/11/17 14:24
S17	756	((general adj purpose adj register) or gpr) and S16	US-PGPUB; USPAT	OR	ON	2005/11/17 14:25
S18	574	S17 and ???/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/17 14:25
S19	2	S6 and S18	US-PGPUB; USPAT	OR	ON	2005/11/17 14:25
S20	84	(encoded adj address\$4) near7 register	US-PGPUB; USPAT	OR	ON	2005/11/17 14:43
S21	4	(encoded adj address\$4) near7 mode	US-PGPUB; USPAT	OR	ON	2005/11/17 14:43
S22	0	S20 same S21	US-PGPUB; USPAT	OR	ON	2005/11/17 14:44
S23	5	S20 same mode	US-PGPUB; USPAT	OR	ON	2005/11/17 14:44
S25	1095	encoded adj address\$4	US-PGPUB; USPAT	OR	ON	2005/11/22 10:30
S26	262	(memory or register or cell or storage) with S25	US-PGPUB; USPAT	OR	ON	2005/11/22 09:08
S27	222	(memory or register) with S25	US-PGPUB; USPAT	OR	ON	2005/11/22 10:28
S28	6	mode with S27	US-PGPUB; USPAT	OR	ON	2005/11/22 09:08
S29	1226	interrupt adj mode	US-PGPUB; USPAT	OR	ON	2005/11/22 10:32
S30	49	banked adj register	US-PGPUB; USPAT	OR	ON	2005/11/22 10:29
S31	4906	general adj purpose adj register	US-PGPUB; USPAT	OR	ON	2005/11/22 10:32
S32	24093	normal adj mode	US-PGPUB; USPAT	OR	ON	2005/11/22 10:32
S33	0	S29 and S30 and S31 and S32	US-PGPUB; USPAT	OR	ON	2005/11/22 10:29
S34	13	S29 and S31 and S32	US-PGPUB; USPAT	OR	ON	2005/11/22 10:32
S35	0	(encoded near address\$4) and S34	US-PGPUB; USPAT	OR	ON	2005/11/22 10:30
S36	269	interrupt adj mode	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 10:32

S37	572	general adj purpose adj register	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/10 16:19
S38	8163	normal adj mode	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 10:32
S39	0	S36 and S37 and S38	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/22 10:32
S40	4346	address near (alias\$3 or encod\$3)	US-PGPUB; USPAT	OR	ON	2005/11/22 11:46
S41	52272	memory adj location	US-PGPUB; USPAT	OR	ON	2005/11/22 11:46
S42	32	S40 near3 S41	US-PGPUB; USPAT	OR	ON	2005/11/22 11:52
S43	14	("5497499" "5560032" "5583804" "5701493" "5737624" "5740461" "5809522" "5826055" "5832292" "5926841" "6038653" "6131157" "6282630" "6412064").PN.	US-PGPUB; USPAT	OR	ON	2005/11/25 07:37
S46	1379	renaming near register	US-PGPUB; USPAT	OR	ON	2005/11/22 17:36
S47	109	storage adj conflict	US-PGPUB; USPAT	OR	ON	2005/11/22 17:36
S48	64	S46 and S47	US-PGPUB; USPAT	OR	ON	2005/11/22 17:36
S49	1379	renaming near register	US-PGPUB; USPAT	OR	ON	2005/11/22 17:57
S50	109	storage adj conflict	US-PGPUB; USPAT	OR	ON	2005/11/22 17:57
S51	53	S49 same S50	US-PGPUB; USPAT	OR	ON	2005/11/22 18:17
S52	1	"5497499".pn.	US-PGPUB; USPAT	OR	ON	2005/11/22 18:17
S53	1	"5701493".pn.	US-PGPUB; USPAT	OR	ON	2005/11/25 12:16
S54	0	(benefi\$4 or advantag\$4) near4 discontiguous near4 locations	US-PGPUB; USPAT	OR	ON	2005/11/25 12:19
S55	0	(benefi\$4 or advantag\$4) near4 discontiguous near4 (memory adj locations)	US-PGPUB; USPAT	OR	ON	2005/11/25 12:17
S56	0	(benefi\$4 or advantag\$4) near4 discontiguous near4 (memory adj locations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/25 12:17
S57	0	(benefi\$4 or advantag\$4) with discontiguous near4 (memory adj locations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/25 12:17
S58	0	(benefi\$4 or advantag\$6) with discontiguous near4 locations	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/25 12:18
S59	56	discontiguous near4 locations	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/25 12:17
S60	1	(benefi\$4 or advantag\$6) same discontiguous near4 locations	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/25 12:18
S61	0	(benefi\$4 or advantag\$4) with noncontiguous near4 locations	US-PGPUB; USPAT	OR	ON	2005/11/25 12:19
S62	47	(benefi\$4 or advantag\$4) with contiguous near4 locations	US-PGPUB; USPAT	OR	ON	2005/11/25 12:19
S63	82	(noncontiguous or discontinuous or noncontinuous) near5 (memory adj (location or address))	US-PGPUB; USPAT	OR	ON	2005/11/28 10:45
S65	14	("5497499" "5560032" "5583804" "5701493" "5737624" "5740461" "5809522" "5826055" "5832292" "5926841" "6038653" "6131157" "6282630" "6412064").PN.	US-PGPUB; USPAT	OR	ON	2005/11/28 10:46
S66	82	(noncontiguous or discontinuous or noncontinuous) near5 (memory adj (location or address))	US-PGPUB; USPAT	OR	ON	2005/11/28 10:47
S69	0	S65 and S66	US-PGPUB; USPAT	OR	ON	2005/11/28 10:46

S70	0	(noncontiguous or discontinuous or noncontinuous) and S65	US-PGPUB; USPAT	OR	ON	2005/11/28 10:46
S71	0	(noncontiguous or discontinuous or noncontinuous) near5 (memory adj (location or address)) with (benefi\$5 or advantag\$5)	US-PGPUB; USPAT	OR	ON	2005/11/28 10:47
S72	7	(noncontiguous or discontinuous or noncontinuous) near5 (memory adj (location or address)) same (benefi\$5 or advantag\$5)	US-PGPUB; USPAT	OR	ON	2005/11/28 11:19
S73	400	(location or address or register) near5 scalable	US-PGPUB; USPAT	OR	ON	2005/11/28 10:48
S74	0	arbitrary adj width adj size	US-PGPUB; USPAT	OR	ON	2005/11/28 10:49
S75	3	arbitrary adj width adj size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 10:49
S76	0	S73 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 10:49
S77	0	S73 same (arbitrary near width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 10:49
S78	0	S73 and (arbitrary near width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 10:49
S79	7	arbitrary adj3 width adj size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 10:50
S80	589	address adj encoder	US-PGPUB; USPAT	OR	ON	2005/11/28 11:19
S83	121	latch and selector and S80	US-PGPUB; USPAT	OR	ON	2005/11/28 11:20
S84	52	pipelin\$4 and S83	US-PGPUB; USPAT	OR	ON	2005/11/28 11:22
S85	1589	memory adj mapped near3 register	US-PGPUB; USPAT	OR	ON	2005/11/28 11:22
S86	0	S84 and S85	US-PGPUB; USPAT	OR	ON	2005/11/28 11:22
S87	0	S83 and S85	US-PGPUB; USPAT	OR	ON	2005/11/28 11:22
S88	0	S80 and S85	US-PGPUB; USPAT	OR	ON	2005/11/28 11:25
S89	110	S83 not cam	US-PGPUB; USPAT	OR	ON	2005/11/28 11:25
S90	0	(general adj purpose adj register) near5 ((processor or process\$5) adj mode)	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/10 16:20
S91	6	(general adj purpose adj register) near5 ((processor or process\$5) adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/10 16:20
S92	0	(encoded adj address) with register with ((processor or process\$5) adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/10 16:21
S93	0	(encoded adj address) with ((processor or process\$5) adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/10 17:41
S94	814	address adj encoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/10 17:41

S95	1	S94 near7 (input adj port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/10 17:42
S96	58	(latch or buffer) with (encoded adj address)	US-PGPUB; USPAT	OR	ON	2005/12/10 18:34
S97	21	(selector select\$5 or mux or multiplexer) same S96	US-PGPUB; USPAT	OR	ON	2005/12/10 18:31
S98	6	(selector select\$5 or mux or multiplexer) same S96 same encoder	US-PGPUB; USPAT	OR	ON	2005/12/10 18:32
S99	475	pipeline adj storage	US-PGPUB; USPAT	OR	ON	2005/12/10 18:32
S10 0	14	("5497499" "5560032" "5583804" "5701493" "5737624" "5740461" "5809522" "5826055" "5832292" "5926841" "6038653" "6131157" "6282630" "6412064").PN.	US-PGPUB; USPAT	OR	ON	2005/12/10 18:33
S10 1	0	S99 and (encoded adj address)	US-PGPUB; USPAT	OR	ON	2005/12/10 18:34
S10 2	9	latch\$4 near4 (pipeline adj stor\$4)	US-PGPUB; USPAT	OR	ON	2005/12/11 12:16
S10 3	0	latch\$4 near4 (pipeline adj stor\$4)	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:16
S10 4	2	latch\$4 with (pipeline adj stor\$4)	USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:17
S10 5	51	latch\$4 with (pipeline adj stor\$4)	US-PGPUB; USPAT	OR	ON	2005/12/11 12:19
S10 7	1	(select\$4 or mux or multiplexer) with S105	US-PGPUB; USPAT	OR	ON	2005/12/11 12:18
S10 8	3	(select\$4 or mux or multiplexer) same S105	US-PGPUB; USPAT	OR	ON	2005/12/11 12:18
S10 9	3	(benefi\$4 or advantag\$4) with (pipeline adj stor\$4)	US-PGPUB; USPAT	OR	ON	2005/12/11 12:20
S11 0	1168	(pipeline adj stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:21
S11 1	28	(advantag\$4 or benefi\$5) with S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:27
S11 2	666	"pipeline storage"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:21
S11 3	105	S112 and 7??/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:27
S11 4	64	S113 and latch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:28
S11 5	23082	(advantag\$4 or benefi\$5) with latch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:29
S11 6	34	S114 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:27
S11 7	0	(advantag\$4 or benefi\$5) with latch\$4 with S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:28

S11 8	0	(advantag\$4 or benefi\$5) with latch\$4 same S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:28
S11 9	23	(advantag\$4 or benefi\$5) with S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:29
S12 0	0	S114 and S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:29
S12 1	0	S119 and 7?/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:29
S12 2	0	S119 and 7?/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/11 12:30
S12 3	5276	pipeline adj stages	US-PGPUB; USPAT	OR	ON	2005/12/11 13:15
S12 4	266	7?/\$.ccls. and (pipeline adj stages).ab.	US-PGPUB; USPAT	OR	ON	2005/12/11 13:17
S12 5	11661	fetch and decode and execute	US-PGPUB; USPAT	OR	ON	2005/12/11 13:17
S12 6	116	S124 and S125	US-PGPUB; USPAT	OR	ON	2005/12/11 13:17